

OUTLAW INDUSTRIES

"KEEPING THE BAD GUYS OUT"





DESCRIPTION:

THE AG-36-ADA IS A HEAVY-DUTY FULL HEIGHT HIGH SECURITY ADA GATE WITH A 36" PASSAGE. THE FUNCTION OF THE AG-36-ADA IS TO PROVIDE CONTROLLED ACCESS AS WELL AS EGRESS AND AN ADA COMPLIANT PASSAGE WHEN ENTERING OR EXITING A FACILITY WHERE PEDESTRIAN TRAFFIC IS PRESENT. IT IS DESIGNED TO BE USED IN CONJUNCTION WITH OUTLAW TURNSTILES AND HAS PROVISIONS TO BOLT DIRECTLY TO THEM. IT IS MANUFACTURED WITH AMERICAN PRIDE RIGHT HERE IN THE USA.

OUTLAW INDUSTRIES
3475 S. CALHAN HWY
CALHAN, CO 80808
SALES@OUTLAWINDUSTRIES.CC

JESSE JAMES: 719-427-2233 JESSE JAMES JR: 719-427-2241 SHOP: 1-800-590-0464



OUTLAW INDUSTRIES

"KEEPING THE BAD GUYS OUT"

<u>AG-36-ADA</u>

STANDARD FEATURES:

- Comes fully assembled
- WEATHERIZED RIM EXIT DEVICE
- LOCINOX MAMMOTH 180 GATE CLOSER HINGE
- DURABLE GALVANIZED FINISH
- ALL STAINLESS-STEEL HARDWARE
- INTERNAL WIRING CHASE FOR ACCESS CONTROL WIRING
- RIGHT- OR LEFT-HAND SWING
- 36" Passage

ADDITIONAL OPTIONS:

- -ANTI REACH BARRIER
- -PORTABLE BASE
- -ELECTRONICALLY CONTROLLED
- -STAINLESS STEEL CONSTRUCTION AVAILABLE

MATERIAL USED:

- -4"x2" 11gauge Rectangular tube -3"x2" 14 gauge rectangular tube
- -11 GAUGE FORMED SHEET METAL
- #9 FLATTENED EXPANDED SHEET METAL

STANDARD HARDWARE: -PULL/RIM EXIT

-DETEX WEATHERIZED V40 SERIES PANIC BAR -DETEX 03AN PULL TRIM

ADDITIONAL HARDWARE OPTIONS:

PULL/STRIKE/RIM EXIT:

-DETEX WEATHERIZED V40 SERIES PANIC BAR -DETEX 03AN PULL TRIM -TRINE EN850 ELECTRIC STRIKE

OUTLAW INDUSTRIES 3475 S. Calhan Hwy Calhan, CO 80808 Sales@outlawindustries.co

JESSE JAMES: 719-427-2233 JESSE JAMES JR: 719-427-2241 SHOP: 1-800-590-0464



OUTLAW INDUSTRIES

"KEEPING THE BAD GUYS OUT"

<u>AG-36-ADA</u>

HANDLE/MAGLOCK/SENSE BAR:

-Securitron DSB sensebar -Securitron m62 maglock -Pull handle Electric Rim Exit

-VON DUPRIN 99 RIM EXIT DEVICE -VON DUPRIN 996L ELECTRIC TRIM ADA GATE OPERATOR

DETEX AD19 OR TORXUN GATE OPERATOR

OUTLAW INDUSTRIES
3475 S. CALHAN HWY
CALHAN, CO 80808
SALES@OUTLAWINDUSTRIES.CC